



MMDA-OAGMF&A  
RECEIVED  
BY: [Signature]  
DATE: 7-05-19

# PURCHASE ORDER

Supplier: S & S ENTERPRISES INC.  
 Address: 1953 Severino Reyes St., Sta. Cruz, Manila  
 P.O No.: 19-121-A.S.  
 Date: July 1, 2019  
 Mode of Procurement: public bidding  
 P.R. No.: 19-02-148  
 TIN: 006-925-050-000

Gentlemen:  
Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery: \_\_\_\_\_  
 Date of Delivery: \_\_\_\_\_  
 Delivery Term: 15 calendar days  
 Payment Term: \_\_\_\_\_

Item No.	Unit	Description	Quantity	Unit Cost	Amount
1	units	<b>Product Name:</b> AQUA VIE RESCUE <b>Model:</b> DMR-SO-1001G <b>Engine:</b> Gas Engine <b>Raw Water:</b> Seawater Fresh Water (Pool, Bathtub, Rain water tank, Fire protection water tank, River Water, Pond Water, Well Water, etc.) <b>Treatment Capacity</b> From Sea Water: 2,880L/Day max 120/h (at 25 ° C) From Fresh Water: 7,200 L/Day max 300/h <b>Suction lifting height:</b> within 10m <b>Type of R.O Membrane and pcs:</b> 2521 size Spiral Polyamide Film x 3pcs <b>Sodium chloride (NaCl) Extraction ratio:</b> 99.8% or more <b>Recovery Rate:</b> 70% <b>Proper Pressure:</b> Fresh Water: 2-4 mpa, Sea Water: 4-6 mpa <b>Power Supply / Fuel:</b> AC Single phase motor (240V) Generator (5kva) <b>Engine Oil Requirement:</b> 0.6litter (engine) / 0.8 litter (High Pressure Pump) <b>Fuel Tank Capacity:</b> 3.1 liter <b>Electricity consumption / Fuel operating time:</b> All depend on engine type <b>External Dimension:</b> H=600XL - 650XL = 700XD + 750XD = 550MM - 600MM <b>Weight:</b> Dry weight: 70kg, Operation weight: 65kg <b>Quality of Material:</b> Stainless, FRP, Polypropylane, others	2	6,450,000.00	12,900,000.00

JAGMFA-Budget Division  
 Received by: [Signature]  
 Time: 11:30  
 Date: 07-05-19

(page 1 of 3)

( Total Amount In Words )

In Case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed on the undelivered item/s.

Conforme: [Signature] Very truly yours,  
JEANETTE LIMANTA  
 Signature over Printed Name of Supplier  
7/1/19 Date  
[Signature] DANILO DELAPUZ LIM  
 CHAIRMAN

Fund Cluster: \_\_\_\_\_  
 Fund Available: \_\_\_\_\_  
 ORS/BURS No.: \_\_\_\_\_  
 Date of the ORS/BURS: \_\_\_\_\_  
 Amount: \_\_\_\_\_  
 RUTH C. DIAZ  
 Chief Accountant  
 Recommending Approval:  
ATTY. ROMANDO S. ARTES  
 AGM for Finance & Admin



# PURCHASE ORDER

Supplier: <u>S &amp; S ENTERPRISES INC.</u> Address: <u>1953 Severino Reyes St., Sta. Cruz, Manila</u> TIN: _____	P.O No.: <u>19-121</u> Date: <u>July 1, 2019</u> Mode of Procurement: _____ public bidding P.R. No.: <u>19-02-148</u>
-------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------

Gentlemen:  
Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery: _____	Delivery Term: <u>15</u> calendar days
Date of Delivery: _____	Payment Term: _____

Item No.	Unit	Description	Quantity	Unit Cost	Amount
2	units	Usable water temperature: Water temperature 4°C ~ 40°C Proper water temperature: Proper Water temperature 25°C Sterilize by: Ultraviolet sterilizer Raw water condition: Less than 30,000ppm (from sea water case) From Fresh Water: The water source where a creature lives Accessories: Well pump, raw intake water hose with mesh filter (6m) Drain water hose (3m), 10 inch pre-filter (CTO carbon), Manuals, TDS Tester with GenSet 5kva Expendable item: 10 inch pre-filter (sediment 5um / CTO carbon / Sediment 1um), High pressure pump packing, Engine Oil, UV lamp, Reverse Osmosis Membrane, Damaged parts, etc. Warranty: 3 years warranty E-Trike with MMDA logo Product Name: AQU Vie Hybrid Model: DMR - HB - 1000 Engine: Single Phase Motor (AC 100V - 200V) Raw Water: Sea Water Fresh Water (Pool, Bathtub, Rain water tank, Fire protection water tank, River Water, Pond Water, Well Water, etc.) Treatment Capacity By Reverse Osmosis Membrane : 288L/Day (at 25° C) Fresh Water: 1,152 L/Day Suction lifting height: within 6m - 8m Type of R.O Membrane and pcs: 2521 size Spiral Polyamide Film x 1pcs Sodium chloride (NaCl) Extraction ratio: 99.9% or more Recovery Rate: 70%	4	3,825,000.00	15,300,000.00

(page 2 of 3)

( Total Amount In Words )

In Case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for everyday of delay shall be imposed on the undelivered item/s.

Conforme: \_\_\_\_\_ Very truly yours,  
 Signature over Printed Name of Supplier  
 \_\_\_\_\_ DANILO DELAPUZ LIM  
 Date CHAIRMAN

Fund Cluster: _____ Fund Available: _____ _____ RUTH C. DIAZ Chief Accountant	ORS/BURS No.: _____ Date of the ORS/BURS: _____ Amount: _____
Recommending Approval: _____ ATTY. ROMANDO S. ARTES AGM for Finance & Admin	



# PURCHASE ORDER

Supplier: <u>S &amp; S ENTERPRISES INC.</u>	P.O No.: <u>19-121</u>
Address: <u>1953 Severino Reyes St., Sta. Cruz, Manila</u>	Date: <u>July 1, 2019</u>
TIN: _____	Mode of Procurement: _____ <u>public bidding</u>
	P.R. No.: <u>19-02-148</u>

Gentlemen:  
Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery: _____	Delivery Term: <u>15</u> calendar days
Date of Delivery: _____	Payment Term: _____

Item No.	Unit	Description	Quantity	Unit Cost	Amount
		<p><b>Proper Pressure:</b> 60kg / cm<sup>2</sup>  <b>Power Supply / Fuel:</b> AC Single phase motor + manual hand (2 ways) Generator (5kva)  <b>Engine Oil Requirement:</b> 0.6liter(engine) / 0.8 liter (High Pressure Pump)  <b>Fuel Tank Capacity:</b> 3.1 liter  <b>Electricity consumption / Fuel operating time:</b> 400wh  <b>External Dimension:</b> H=600XL - 700XL = 400 - 500XD = 300MM - 350MM  <b>Weight:</b> Dry weight: 35kg  <b>Quality of Material:</b> Aluminum, Stainless, Polypropylene, others  <b>Usable water temperature:</b> Water temperature 4°C ~ 40°C  <b>Proper water temperature:</b> Proper Water temperature 25°C  <b>Sterilize by:</b> Ultraviolet sterilizer / Ozon sterilizer  <b>Raw water condition:</b> Less than 30,000ppm (sea water or fresh water)            From Fresh Water: The water source where a creature lives  <b>Accessories:</b> Well pump, raw intake water hose with mesh filter (6m)            Drain water hose (3m), 10 inch pre-filter (CTO carbon), Manuals, TDS Tester with GenSet 5kva            E-Trike with MMDA logo</p> <p>Purpose: To be use in 4 Quadrants and Emergency Operations Group</p>			

(page 3 of 3)

( Total Amount In Words ) P 28,200,000.00

In Case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for everyday of delay shall be imposed on the undelivered item/s.

Conforme: JEANETTE LOMANTA  
 Signature over Printed Name of Supplier  
7/1/19  
 Date

Very truly yours,  
DANILO DELAPUZ LIM  
 CHAIRMAN

Fund Cluster: \_\_\_\_\_  
 Fund Available: \_\_\_\_\_

RUTH C. DIAZ  
 Chief Accountant

Recommending Approval:  
ATTY. ROMANDO S. ARTES  
 AGM for Finance & Admin

ORS/BURS No.: \_\_\_\_\_  
 Date of the ORS/BURS: \_\_\_\_\_  
 Amount: \_\_\_\_\_